

# TURBO 2000

ELECTROMECHANICAL GEAR MOTOR FOR SLIDING GATES UP TO 2000 Kg, 230 Vac



## PLUS

With slowdown function both in opening and closing to preserve gate integrity

Electronic and mechanical parts well protected from external agents

Easy maintenance thanks to the horizontal control unit position

New heavy duty version with cooling fan for higher intensity of use


Version with magnetic limit switch

Plug for RX4X radio receiver 4 channels (option)

With 230 Vac control unit CT102 (page 76 for technical details)



Hidden external case fixing



Aluminum polished base and raised fixing plate



Cooling fan for intensive use



Sturdy and performing motors

# MODELS

CODE	DESCRIPTION
SC202MHD	For sliding gates up to 2000 Kg, 230 Vac motor, control unit with slowdown and magnetic limit switch. M4 pinion. For intensive use

## SC202MHD

### MECHANICAL DATA

speed	cm/s	17
torque	Nm	93
working cycle	%	50/70*

### ELECTRICAL DATA

control board		CT102I
power	Vac	230
consumption	A	4
absorbed power	W	580
capacitor	µF	25
thermoprotection	°C	150

### GENERIC DATA

protection degree	IP	44
dimensions (L - D - H)	mm	360 - 270 - 390
weight	kg	25
working temperature	°C	-20 + 55
gate maximum weight	Kg	2000

\* variable according to the gate weight and dimensions